UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/537,526	10/06/2005	Elmar Kessenich	13486-00001-US	3587
	7590 07/08/200 SOVE LODGE & HUT	EXAMINER		
PO BOX 2207		ZIMMERMAN, JOSHUA D		
WILMINGTON, DE 19899			ART UNIT	PAPER NUMBER
			2854	
			MAIL DATE	DELIVERY MODE
			07/08/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/537,526	KESSENICH ET AL.				
Office Action Summary	Examiner	Art Unit				
	JOSHUA D. ZIMMERMAN	2854				
The MAILING DATE of this communication app	ears on the cover sheet with the c	orrespondence address				
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period value or Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>03 A</u>	oril 2008.					
	action is non-final.					
· <u> </u>						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>21-27</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>21-27</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	jected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12)☐ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a))-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau	ı (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list	of the certified copies not receive	d.				
Attachment(s)	_					
1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary Paper No(s)/Mail Da					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal P					
Paper No(s)/Mail Date	6) Other:					

Application/Control Number: 10/537,526 Page 2

Art Unit: 2854

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

1. Claims 21-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Knoll et al. (WO 2003/014831) in view of Tsuchida et al. (US 3981583) and Sawano (US 6293651). For simplicity, the English language equivalent of Knoll et al. submitted by applicants (US 2004/0187719) is used for citations.

Regarding claim 21, Knoll et al. teach "a process for the production of flexographic printing plates for newspaper printing (paragraph 1), in which the starting material used is a photosensitive flexographic printing element having a thickness of from 0.4 to 1.0 mm (paragraph 1) comprising--arranged one on top of the other--at least a flexible, metallic substrate (paragraph 1),

a photopolymerizable layer which in turn comprises at least one elastomeric binder, ethylenically unsaturated monomers and a photoinitiator (paragraph 1), and a digitally imageable layer (paragraph 42), wherein an apparatus is used which comprises

Application/Control Number: 10/537,526 Page 3

Art Unit: 2854

(A) a unit for holding digitally imageable, photopolymerizable, flexographic printing elements having a thickness of from 0.4 to 1.0 mm, (this is an inherent feature of any apparatus used to carry out the method of Knoll et al., see paragraph 59)

- (B) a unit for the digital imaging of the flexographic printing element (paragraph 39), selected from the group consisting of thermal printing heads, of IR lasers, inkjet printing heads or thermal printing heads (paragraphs 43-45),
 - (C) an exposure unit (paragraph 49),
 - (D) a washout unit (paragraph 51),
 - (E) a drying unit (paragraph 57),
 - (F) optionally an aftertreatment unit (paragraph 58),
- (G) an output unit for the flexographic printing plates obtained (this is an inherent feature of any apparatus according to paragraph 59), and
- (H) transport units for the flexographic printing elements or plates, which connect the units (A) to (G) to one another (paragraph 59);

and the process comprises the following steps:

- (a) placing of the photosensitive flexographic elements in a holding unit (this is an inherent step of the process of Knoll et al.),
- (b) imagewise recording on the digitally imageable layer by means of the imaging unit (B) for producing a mask on the flexographic printing element (paragraph 42),
- (c) exposure of the flexographic printing element to actinic light by means of the exposure unit (C) through the mask produced (paragraph 49),

(d) removal of unexposed parts of the flexographic printing element and the residues of the digitally imageable layer by means of a suitable solvent or of a suitable solvent combination in the washout unit (D) (paragraph 51),

- (e) drying of the washed out flexographic printing plate at from 105 to 160°C in the drying unit (E) (paragraph 2),
- (f) optionally aftertreatment of the dried flexographic printing plate by means of UVA and/or UVC light (paragraph 58) and
- (g) output of the finished flexographic printing plate, the flexographic printing element or the flexographic printing plate being transported by the transport means (H) from one unit to the respective next unit (this is an inherent feature of any inline apparatus which carries out the method of Knoll et al. see paragraph 59)."

Knoll et al. further teach that any 'substantially standard' apparatus can be used to carry out the method (paragraph 59).

Knoll et al. fail to specifically teach that the all the units are "designed so that the flexographic printing elements or plates are processed in the flat state," and are not "bent during the entire processing procedure."

Tsuchida et al. disclose a substantially standard apparatus for processing a relief photopolymer plate wherein the plate remains in the flat state the entire time (abstract, figures).

Therefore, at the time of the invention, it would have been obvious to one having ordinary skill in the art to use the apparatus of Tsuchida et al. in order to carry out the method of Knoll et al.

Knoll et al. also fail to disclose that "the at least two functional units of the same type are arranged along a moveable bar moveable in an Y-direction and optionally also in a X-direction essentially perpendicular to said Y-direction ... wherein each of the functional units produces an image in each case one part of the digitally imageable layer by moving the entire bar in the Y-direction and moving the bar or the imageable-layer in the X-direction."

Sawano discloses a digital imaging unit (figures 1-3, column 1, lines 4-10) in which a multi-head printer is moved in two orthogonal directions and/or the platen is moved in an orthogonal direction to the multi-head printer in order to effect printing (column 2, lines 14-25, column 3, lines 48-50, Figures 1-3). The digital imaging unit and method of Sawano allows for imaging at high speed (column 1, lines 59-62).

Therefore, at the time of the invention, it would have been obvious to one having ordinary skill in the art to use the multi-head digital imaging unit in the apparatus of Knoll et al. in order to achieve high-speed imaging.

Regarding claim 22, Knoll et al. further teach "wherein the flexographic printing element is furthermore preexposed to actinic light in a step preceding (b), with the proviso that a flexographic printing element whose digitally imageable layer has a sufficient transparency to actinic light is used (paragraph 50)."

Regarding claim 23, Knoll et al. further teach "wherein the metallic substrate comprises magnetizable spring steel (paragraph 16)."

Regarding claim 24, Knoll et al. further teach "wherein the binder in the photopolymerizable layer is at least one styrene/butadiene block copolymer having a styrene content of from 20 to 50% by weight (paragraph 25)."

Regarding claim 25, Knoll et al. further teach "wherein the block copolymer has an average molecular weight $M_{\rm w}$ of from 80 000 to 150 000 g/mol (paragraph 21)."

Regarding claim 26, Knoll et al. further teach "wherein the styrene/butadiene block copolymer has a Shore A hardness of from 55 to 75 (paragraph 22)."

Regarding claim 27, Knoll et al. further teach "wherein the photopolymerizable layer furthermore comprises from 5 to 50% by weight of a plasticizer (paragraph 1)."

Response to Arguments

2. Applicant's arguments, filed 4/03/08, with respect to the rejection of all the claims have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Sawano.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOSHUA D. ZIMMERMAN whose telephone number is (571)272-2749. The examiner can normally be reached on M-R 8:30A - 6:00P, Alternate Fridays 8:30A-5:00P.

Art Unit: 2854

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on 571-272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Joshua D Zimmerman Examiner Art Unit 2854

jdz

/Leslie J. Evanisko/ Primary Examiner, Art Unit 2854